U.S. Particle Accelerator School
Education in Beam Physics and Accelerator Technology

Self-Consistent Simulations of Beam and Plasma Systems
Steven M. Lund, Jean-Luc Vay, Rémi Lehe and Daniel Winklehner
Colorado State U., Ft. Collins, CO, 13-17 June, 2016

A5. Collaborations

Jean-Luc Vay, Rémi Lehe
Lawrence Berkeley National Laboratory

Particle accelerators are essential tools in modern life that power scientific discovery, cure cancer, secure our borders, and help create a wide range of products

Medicine

- ~9000 medical accelerators in operation worldwide
- 10's of millions of patients treated/yr
- 50 medical isotopes, routinely produced with accelerators

Industry



- ~20,000 industrial accelerators in use
  - Semiconductor manufacturing
  - cross-linking/ polymerization
  - Sterilization/ irradiation
  - Welding/cutting
- Annual value of all products that use accel. Tech.: $500B

National Security

- Cargo scanning
- Active interrogation
- Stockpile stewardship: materials characterization, radiography, support of non-proliferation

Discovery Science



- ~30% of Nobel Prizes in Physics since 1939 enabled by accelerators
- 4 of last 14 Nobel Prizes in Chemistry for research utilizing accelerator facilities

There are 30,000 Particle Accelerators Making an Impact on Our Lives

But often too big and expensive!

2

Problem: size & cost often a limiting factor
Example 1: Proton Therapy Center

New Rochester Mayo Clinic Proton Therapy Center
- 4 chambers
- $188M



120-ton gantry directs proton beam to appropriate spot on patient by rotating around a three-story chamber.

http://finance-commerce.com/2014/03/status-report-mayo-proton-therapy-facility/#ixzz43DJgnIIA
http://blogs.mprnews.org/statewide/2014/03/mayos-proton-beam-facility-on-track-for-2015-opening/

3

Problem: size & cost often a limiting factor
Example 2: Carbon Therapy Center

Heidelberg Proton & Carbon Therapy Center
- 2 scans chambers
- one 4π chamber
- €119M



http://medicalphysicsweb.org/cws/article/research/51684
https://www.klinikum.uni-heidelberg.de/About-us.124447.0.html?&L=1

4


Problem: size & cost often a limiting factor
Example 3: High-Energy Physics collider
CERN LHC
~27 km circumference
Cost: $10B
Cons.: 150MW
Courtesy S. Myers (IPAC 2012)
Future colliders?
ILC
31 km
Cost: $8B-$20B?
Cons.: 230MW
CLIC
48 km
Cost: $?B
Cons.: 415MW
FCC
LHC
~90 km circumference
Cost: $?B – Cons.: ?MW
5


nature
CERN's next director-general on the LHC and her hopes for international particle physics
Elizabeth Gibney
Some people think that future governments will be unwilling to fund larger and more expensive facilities. Do you think a collider bigger than the LHC will ever be built? And will it depend on the LHC finding something new?
The outstanding questions in physics are important and complex and difficult, and they require the deployment of all the approaches the discipline has developed, from high-energy colliders to precision experiments and cosmic surveys. High-energy accelerators have been our most powerful tools of exploration in particle physics, so we cannot abandon them. What we have to do is push the research and development in accelerator technology, so that we will be able to reach higher energy with compact accelerators.
Computer modeling has unique role to play!
6


Next generation of accelerators needs next generation of modeling tools
Fast – runs in seconds to minutes
Hi-Fi – full & accurate physics
Link – integrated ecosystem
Our vision
Real-time
virtual prototyping
of entire accelerator
with intuitive interface, dissemination & user support.
Simulations take too long!
BELLA
Beam-beam LHC
2-color injection
INF&RNO
~1 week
WARP
~3 days
BeamBeam3D
~1 day
Need to speedup by ×10ⁿ
Combine best algorithms
Min./run
Speed
2025
Port codes to fastest hardware
2016
Hours-days/run
NERSC-8 Cori
7


NERSC systems to reach 1 ExaFlops by 2024
NERSC Systems Timeline
NERSC
2007/2009 NERSC-5 Franklin Cray XT4 102/352 TF
2010 NERSC-6 Hopper Cray XE6 1.28 PF
2014 NERSC-7 Edison Cray XC30 2.57 PF
2016 NERSC-8 Cori Cray XC 30 PF
2020 NERSC-9 100PF-300PF
2024 NERSC-10 1EF
2028 NERSC-11 5-10EF
Cori
ENERGY
Courtesy Sudip Dosanjh, IXPUG 2015
Computing Sciences Area
8

Next DOE supercomputers based on manycore and GPUs

ASCR Computing Upgrades At a Glance

System attributes	NERSC Now	OLCF Now	ALCF Now	NERSC Upgrade	OLCF Upgrade	ALCF Upgrades	
Name Planned Installation	Edison	TITAN	MIRA	Cori 2016	Summit 2017-2018	Theta 2016	Aurora 2018-2019
System peak (PF)	2.6	27	10	> 30	150	>8.5	180
Peak Power (MW)	2	9	4.8	< 3.7	10	1.7	13
Total system memory	357 TB	710TB	768TB	~1 PB DDR4 + High Bandwidth Memory (HBM) +1.5PB persistent memory	> 1.74 PB DDR4 + HBM + 2.8 PB persistent memory	>676 TB DDR4 + High Bandwidth Memory (HBM)	> 7 PB High Bandwidth On-Package Memory Local Memory and Persistent Memory
Node performance (TF)	0.460	1.452	0.204	> 3	> 40	> 3	> 17 times Mira
Node processors	Intel Ivy Bridge	AMD Opteron Nvidia Kepler	64-bit PowerPC A2	Intel Knights Landing many core CPUs Intel Haswell CPU in data partition	Multiple IBM Power9 CPUs & multiple Nvidia Voltas GPUS	Intel Knights Landing Xeon Phi many core CPUs	Knights Hill Xeon Phi many core CPUs
System size (nodes)	5,600 nodes	18,688 nodes	49,152	9,300 nodes 1,900 nodes in data partition	~3,500 nodes	>3,200 nodes	>50,000 nodes
System Interconnect	Aries	Gemini	5D Torus	Aries	Dual Rail EDR-IB	Aries	2nd Generation Intel Omni-Path Architecture
File System	7.6 PB 168 GB/s, Lustre®	32 PB 1 TB/s, Lustre®	26 PB 300 GB/s GPFS™	28 PB 744 GB/s Lustre®	120 PB 1 TB/s GPFS™	10PB, 210 GB/s Lustre initial	150 PB 1 TB/s Lustre®

U.S. DEPARTMENT OF ENERGY | Office of Science

Exascale Requirements Gathering -- FES 1/27/2016 4

Courtesy Barbar Helland, FES Exascale Review, 2016

Emerging supercomputing architectures require restructuration with "multi-level parallelism"

To run effectively on future systems

- **Manage Domain Parallelism**
  - independent program units; explicit
- **Increase Thread Parallelism**
  - independent execution units within the program; generally explicit
- **Exploit Data Parallelism**
  - Same operation on multiple elements
- **Improve data locality**
  - Cache blocking; Use on-package memory


```
|--> DO I = 1, N
|        R(I) = B(I) + A(I)
|--> ENDDO
```

U.S. DEPARTMENT OF ENERGY | Office of Science

-12-

Courtesy Katherine Riley, FES Exascale Review, 2016

Particle-In-Cell

Domain decomposition



Domain decomposition + tiling



Supporting community calls for large efforts

Community HPC hardware needs community HPC software

- **needs:** development + application + integration intra/inter community + operation + doc./training/support

Any overlap in beam dynamics codes?

Beam Dynamics Codes: Codes section from Accelerator Handbook (A. Chao, 2013)

(Below, PIC refers to codes with particle-in-cell space-charge capability.)

Code	URL or Contact	Description/Comments
ASTRA	tesla.desy.de/~meykopff	3D parallel, general charged particle beams incl. space charge
AT	sourceforge.net/projects/atcollab/	Accelerator Toolbox
BETACOOL	betacool.jinr.ru	Long term beam dynamics: ECOOL, IBS, internal target
Bmad, Tao	www.lns.cornell.edu/~dcs/bmad/	General purpose toolbox library + driver program
COSY INFINITY	www.cosyinfinity.org	Arbitrary-order beam optics code
CSRTrack	www.desy.de/xfel-beam/csrtrack	3D parallel PIC includes CSR; mainly for e- dynamics
Elegant/SDDS suite	aps.anl.gov/elegant.html	parallel; track, optimize; errors; wakes; CSR
ESME	www-ap.fnal.gov/ESME	Longitudinal tracking in rings
HOMDYN	Massimo.Ferrario@LNF.INFN.IT	Envelope equations, analytic space charge and wake fields
IMPACT code suite	amac.lbl.gov	3D parallel multi-charge PIC for linacs and rings
LAACG code suite	laacg.lanl.gov	Includes PARMILA, PARMELA, PARMTEQ, TRACE2D/3D
LiTrack	www.slac.stanford.edu/~emma/	Longitudinal linac dynamics; wakes; GUI-based; error studies
LOCO	safranek@slac.stanford.edu	Analysis of optics of storage rings; runs under matlab
LUCRETIA	www.slac.stanford.edu/accel/ilc/codes	Matlab-based toolbox for simulation of single-pass e- systems
MaryLie	www.physics.umd.edu/dsat	Lie algebraic code for maps, orbits, moments, fitting, analysis
MaryLie/IMPACT	amac.lbl.gov	3D parallel PIC MaryLie optics + IMPACT space charge
MAD-X	mad.web.cern.ch/mad	General purpose beam optics
MERLIN	www.desy.de/~merlin	C++ class library for charged particle accelerator simulation
OPAL	amas.web.psi.ch	3D parallel PIC cyclotrons, FFAGs, linacs; particle-matter int.
ORBIT	jzh@ornl.gov	Collective beam dynamics in rings and transport lines
PATH	Alessandra.Lombardi@cern.ch	3D PIC; linacs and transfer lines; matching and error studies
SAD	acc-physics.kek.jp/SAD/sad.html	Design, simulation, online modeling & control
SIMBAD	agsrhichome.bnl.gov/People/luccio	3D parallel PIC; mainly for hadron synchrotrons, storage rings
SIXTRACK	frs.home.cern.ch/frs/	Single particle optics; long term tracking in LHC
STRUCT	www-ap.fnal.gov/users/drozhdin	Long term tracking w/ emphasis on collimators
Synergia	https://compacc.fnal.gov/projects	3d parallel PIC; space charge, nonlinear tracking and wakes
TESLA	lyyang@bnl.gov	Parallel; tracking; analysis; optimization
TRACK	www.phy.anl.gov/atlas/TRACK	3D parallel PIC mainly for ion or electron linacs
LIBTRACY	libtracy.sourceforge.net/	Library for beam dynamics simulation
TREDI	www.tredi.enea.it	3D parallel PIC; point-to-point Lienard-Wiechert
UAL	code.google.com/p/ual/	Unified Accelerator Libraries
WARP	DPGrote@lbl.gov	3D parallel ES and EM PIC with accelerator models
ZGOUBI	sourceforge.net/projects/zgoubi/	Magnetic optics; spin; sync radiation; in-flight decay

Need of solution for non-disruptive integration

Significant investments into existing pool of codes:

- essential to **minimize disruptions** to developers and users,
- while **enabling interoperability** and **expandability**.

Challenges:

Technical
- programming languages
- data formats, parallelism
- code architectures
- open vs proprietary sources
- keep creativity

Human
- changing habits is hard
- different visions
- (re)build trust
- corporatism/rivalry
- recognition
- distance

13

Mitigation of difficulties through adiabatic transition

Existing set of separate codes ➔ **ecosystem** of **interconnected codes**



Bridge codes to enable:
- **common** user input/output interface
- **sharing** of functionalities
- **collaborative** development of common units

Common data format enables separation between user I/O interfaces and "kernels".

Assess of kernels as Python modules enables tighter coupling.

14

Berkeley Lab Accelerator Simulation Toolkit



Suite of state-of-the-art codes:
- BEAMBEAM3D, IMPACT, WARP/PICSAR, INF&RNO, POSINST, FBPIC, ...

Large set of physics & components:
- beams, plasmas, lasers, structures...
- linacs, rings, injectors, traps, ...

Supporting many accelerators:
- across DOE (HEP, BES, NP, FES, DNN) and beyond (CERN, DESY, KEK, ...).

http://blast.lbl.gov

15

Emerging national consortium for accelerator modeling

Consortium for **A**dvanced **M**odeling of **P**article **A**ccelerators

CAMPA

BERKELEY LAB	SLAC	Fermilab
BLAST (Warp, IMPACT, BeamBeam3D, Posinst)	ACE3P (Omega3P, S3P, Track3P, T3P, PIC3P, TEM3P)	SYNERGIA (space-charge, wakes, e-cloud, beam-beam...)

Activities:
- High Performance Computing (beyond SciDAC),
- coordination/integration of codes/modules, user interfaces, data formats, ...
- dissemination, support & training.

Points of contact:
LBNL: J.-L. Vay
SLAC: C.-K. Ng
FNAL: J. Amundson

16

The tools of collaboration: git, Github, Bitbucket

Github (github.com) and Bitbucket (bitbucket.org):

- Websites that allow to **store code**, and make it **available for download**
- Contain many tools for developers to communicate and discuss the code

git:

- **Download/upload** code to the websites like Github or Bitbucket
  - git clone (+URL): download code
  - git pull: update code (get latest changes from website)
  - git push: upload local changes to website
- Enables **version control**
  - git commit: save a snapshot of the code

Git tutorial: https://www.atlassian.com/git/tutorials/

1

We are developing the next generation of Warp







Goal (4 years): Convergence study in 3-D of 10 consecutive multi-GeV stages in linear and bubble regime, for laser- & beam-driven plasma accelerators.

How: Combination of best algorithms (boosted frame+spectral+AMR+...) via coupling of Warp+BoxLib+PICSAR and port to emerging architectures (Xeon Phi, GPU).

PICSAR: highly optimized elementary PIC operations (based on Warp kernel).

BoxLib: advanced adaptive mesh refinement library.

Proposal submitted for collaboration LBNL+SLAC+LLNL.

PICSAR and Boxlib libraries will be available for other codes.

Developing common modules/data format is beneficial

- **PICSAR (Particle-In-Cell Scalable Application Resource):**
  - Collection of PIC kernel subroutines (current deposition, field gather, field solve, particle pusher, ...)
  - Toward collaborative development of multi-level parallel implementations (vectorization+OpenMP+MPI+GPU+...)
  - For testing, comparing, distributing production-level PIC functionalities
  - To be available with open source license to wider community soon
- **OpenPMD (A. Huebl et al., doi: 10.5281/zenodo.3362):**
  - a common I/O format for simulations with particles and meshes
  - standardized layout of data in file (using hdf5, netcdf, ADIOS, ..)
  - for easy comparisons between codes, common visualization tools
  - OpenPMD Viewer based on IPython+Matplotlib available, Visit reader in dev.
  - implemented in Warp, PIConGPU, FBPIC, ...
  - More at https://github.com/openPMD at http://www.openpmd.org

19

Summary

- Computer modeling can play a key role in the development of more compact & cheaper accelerators
- Increasing complexity of computer architectures and codes calls for collaborations
- Efforts are underway for non-disruptive solutions toward increased collaborative code developments